

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("6366912").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/16 12:48
S1	263	((security) adj1 zones) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 09:44
S2	3	((security adj1 zones) with (authoriz\$3 with access\$3)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 18:23
S3	3	((security adj2 zones) with (authoriz\$3 with access\$3)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 10:01
S4	6	((security adj2 zones) with ((authoriz\$3 permit\$4) with access\$3)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 18:42
S5	19	((security with zones) with ((authoriz\$3 permit\$4) with access\$3)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 10:10
S6	0	("20020103903andresource").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 09:44
S7	2	"20020103903" and resource	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 09:45

EAST Search History

S8	5	((security adj2 zones) with (authoriz\$3 with access\$3)) and @ad<="20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 10:03
S9	9	((security adj2 zones) same (authoriz\$3 with access\$3)) and @ad<="20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 10:05
S10	16	((security with zones) same (authoriz\$3 with access\$3)) and @ad<="20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 10:05
S11	1	(security with zones) with ("IP addresses") and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:30
S12	576	(level\$1 with ("IP addresses")) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:30
S13	43	(level\$1 with ("IP addresses")) and zones and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:31
S14	0	(level\$1 with sensitive with ("IP addresses")) and zones and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:31
S15	9	(level\$1 with access\$3 with ("IP addresses")) and zones and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:49

EAST Search History

S16	1	(level\$1 with access\$3 with ("IP addresses")) same zones and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:34
S17	3	(level\$1 with ("IP addresses")) same zones and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:35
S18	0	(level\$1 same("IP addresses")) same secure adj1 zones and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:35
S19	6	(level\$1 same secure adj1 zones) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:36
S20	124	(level\$1 same secure with "IP") and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:36
S21	62	(level\$1 with secure with "IP") and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:37
S22	5	(level\$1 with secure with "IP addresses") and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:50
S23	3	(level\$1 adj2 secure same "IP addresses") and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:51

EAST Search History

S24	5	(level\$1 adj2 secure same zones) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:52
S25	2	(level\$1 adj2 secur\$5 same secure adj4 zones) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:53
S26	13	(level\$1 adj2 secur\$5 and secure adj4 zones) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:54
S27	115	(level\$1 adj2 secur\$5 same zones) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:55
S28	67	(level\$1 adj2 secur\$5 same (secur\$3 with zones)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:56
S29	63	(level\$1 adj2 secur\$5 with (secur\$3 with zones)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:38
S30	46	((client\$1 workstation\$1) with application\$1) and (secure with zones) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:39
S31	24	((client\$1 workstation\$1) with application\$1) same (secure with zones) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:40

EAST Search History

S32	24	((client\$1 workstation\$1) with application\$1) with (secure with zones) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 09:11
S33	2	("5548649").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 14:40
S34	24	((client\$1 workstation\$1) with applications) with (secure with zones) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:47
S35	2	("5548649").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 14:49
S36	20170947	server with appllicationsand @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:49
S37	0	(server with applications) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:49
S38	25758	(server with applications) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:50
S39	4927	(server with execut\$3 with applications) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:50

EAST Search History

S40	223	(workstations with server with execut\$3 with applications) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:50
S41	8	(workstations with server with execut\$3 with applications).ab. and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:55
S42	996	(server with execut\$3 with applications).ab. and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:55
S43	55	(server with execut\$3 with plurality with applications).ab. and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:57
S44	1466	(applications adj1 server).ab. and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:57
S45	317	(applications adj1 server) with users.ab. and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:58
S46	317	((applications adj1 server) with users).ab. and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:58
S47	1	((applications adj1 server) with users).ab. and secure with zones and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 15:00

EAST Search History

S48	23	((applications adj1 server) with users) and (secure with zones) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 15:37
S49	2	("6366912").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:50
S50	2	("5548649").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 16:45
S51	2	("6799301").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 16:48
S52	2	("6889379").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 17:34
S53	2	("20040003070").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 17:34
S54	18	((authori\$4) with (secure with zones)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 09:13
S55	21	((authori\$4) with (send\$3 transmit forward\$3) with (secure with (zones locat\$3 area\$3))) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 09:15

EAST Search History

S56	24	((authori\$4) with (send\$3 transmit forward\$3 transfer\$3) with (secure with (zones locat\$3 area\$3))) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 09:30
S57	0	((authori\$4) near2 IP\$1 with (send\$3 transmit forward\$3 transfer\$3) with (secure with (zones locat\$3 area\$3))) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 09:30
S58	0	((authori\$4) near2 IP\$1 same (send\$3 transmit forward\$3 transfer\$3) same (secure with (zones locat\$3 area\$3))) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 09:30
S59	0	((authori\$4) near2 IP\$1 same (secure with (zones locat\$3 area\$3))) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 09:30
S60	156	(IP\$1 same (secure with (zones locat\$3 area\$3))) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 09:30
S61	82	(IP\$1 with (secure with (zones locat\$3 area\$3))) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 09:31
S62	7	(IP\$1 with (secure with (zones locat\$3 area\$3))).ab. and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 10:12
S63	2	(IP\$1 with (associat\$3 assign\$3) with (secure with (zones locat\$3 area\$3))) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 10:38

EAST Search History

S64	82	(IP\$1 with (secure with (zones locat\$3 area\$3))) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 10:40
S65	11	(IP\$1 with (secure adj3 (zones locat\$3 area\$3))) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 10:42
S66	24	(IP\$1 same (secure adj3 (zones locat\$3 area\$3))) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 10:44
S67	0	((authoriz\$3 adj3 (send\$3 transmit\$3) adj3 (zones locat\$3 area\$3) with resources)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 10:45
S68	8	((authoriz\$3 with (send\$3 transmit\$3) adj3 (zones locat\$3 area\$3) with resources)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 10:46
S69	176	((send\$3 transmit\$3) adj3 (zones locat\$3 area\$3) with resources)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 10:46
S70	8	authoriz\$3 same (((send\$3 transmit\$3) adj3 (zones locat\$3 area\$3) with resources)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 10:46
S71	41	authoriz\$3 and (((send\$3 transmit\$3) adj3 (zones locat\$3 area\$3) with resources)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 10:48

EAST Search History

S72	0	authoriz\$3 and (((send\$3 transmit\$3) adj3 secure near2(zones locat\$3 area\$3) with resources)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 10:48
S73	0	authoriz\$3 and (((send\$3 transmit\$3) with secure near2(zones locat\$3 area\$3) with resources)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 10:49
S74	3	((send\$3 transmit\$3) with (secure near2(zones locat\$3 area\$3) with resources)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 11:05
S75	0	((upload\$3) with (secure near2(zones locat\$3 area\$3) with resources)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 11:05
S76	0	(transmit\$4 adj (secure near2(zones locat\$3 area\$3) with resources)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 11:05
S77	0	(transmit\$4 adj (secure with (zones locat\$3 area\$3) with resources)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 11:06
S78	0	(transmit\$4 adj2 (secure with (zones locat\$3 area\$3) with resources)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 11:06
S79	31	(send\$4 with (secure with (zones locat\$3 area\$3) with resources)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 11:07

EAST Search History

S80	2	(request\$3 near2 (send\$4 transmit\$3 transferr\$4)with (secure with (zones locat\$3 area\$3) with resources)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 11:08
S81	56	(request\$3 with (send\$4 transmit\$3 transferr\$4)with (secure with (zones locat\$3 area\$3))) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 11:09
S82	22	(request\$3 with (send\$4 transmit\$3 transferr\$4)with (secure adj2(zones locat\$3 area\$3))) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 11:09
S83	2	(request\$3 adj3 (send\$4 transmit\$3 transferr\$4)with (secure adj2(zones locat\$3 area\$3))) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 11:12
S84	84	((transferr\$4)with (secure adj2(zones locat\$3 area\$3 storages stor\$3))) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 11:12
S85	65	((transfer\$4)with (secure adj2(zones locat\$3 area\$3 storages stor\$3)))ab. and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:48